Boundary of Appropriate Contraction of Teaching and Contraction of the State of the The state of the s . The property of the second contract of the and the second of the second and the starte N Exp. 1 Sec. 11 Sec. 1 180 The said the said and the said as depote about the control of the control of the <u>, .....</u> Altrea to internalizes the contract towards the conafraceral of an electromer of the construction of the construction of gang tan disebit of the content of t April 1 State of the State of the 世界(1277) 1:25 clays PN Je o ogca Have colly) percel some 

A COM Land Considerable Long M. Telli Comment Comment

e the second sec	and the second of the second o
<b>7</b> 1	76
File No	T. 2/N R. 9 E
DUPLICATE	County Charteau
	STATE OF MONTANA STRATOR OF GROUNDWATER CODE JAN 7 1964 DEFICE OF STATE ENGINEER
	OF VESTED GROUNDWATER RIGHTS hapter 237, Montana Session Laws, 1961)
1Woodsock Land & Cattle (Name of Appropriator	Comp, ofShonkin,Montana
	State ofMontana
	ording to the Montana laws in effect prior to January 1, 1962, as follows:
N	2. The beneficial use on which the claim is based .provide
	3. Date or approximate date of earliest beneficial use; and how con-
	tinuous the use has been .about
[- <del> </del> - - - - - - - - - - - - - - - - - -	use s2moe
W = = = = = = = = = = = = = = = = = = =	4. The amount of groundwater claimed (in miner's inches or gallons per minute)
s	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Sec 25 T-21N-Rg 9. SW14SR Soc.26. T.21 R9.	Baot-applicable
Indicate point of appropriation and	
place of use, if possible. Each small	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal .paneping
square represents 10 acres.	system piped into house from well
	***************************************
7. The date of commencement and co	mpletion of the construction of the well, wells, or other works for with-
few feet away in 1950 or th	areabout. This well is about 20 ft. deep, water at
8. The depth of water tableunica	
<ol><li>So far as it may be available, the t works for the withdrawal of groun</li></ol>	ype, size and depth of each well or the general specifications of any other idwater There. was an old well dug within a few feet.
of the new well in about 19	CO,it.would-not-produce-enough-water-thesefore has.a.arawlhole-down-about-10-feet-and-the
rest of the well is cased a	nd was drilled.
	water withdraw and year ADDROY Testal w 90 0000es lone
	in the drilling of each well if availablenotavailable
The formation was	200KJ
0 3 3	
reference to book and page of any	ar nature as may be useful in carrying out the policy of this act, including county recordnot available
	Signature of Owner Llos clock hand and Cattle Comp.  The County Clerk and Recorder of the county in which the well is
located.	
	oplicable, so state, otherwise the form will be returned.
Original to the County Clerk and Rec and Quadruplicate for the Appro	order; duplicate to the State Engineer; Triplicate to the School of Mines opriator.

3 4673 7

STATE OF MONTANA. (\*\*
COUNTY OF CHOUTEAU. (\*\*
Piled Off 2 11:00 o'clock <u>.</u> County Clerk

• Bridge Sec. 35

The second second of the second secon

Plante wister as the contract

The second secon

GW 3

File No.....

T. 21 R. 9

DUPLICATE

DECEIVE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

STATE ENGINEER

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws 1961)

	apier 257 Moniana Session Laws, 1901)
]	Date of Appropriation of Groundwater1933
(	OwnerVilliam R. & Rudolph Lehman
ı	Address Shonkin, Montana
(	Contractor (if any)none
	Address of Contractor
,	Date Started1933 Date Completed1933
	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable. Apring piped to tank for
	cattle
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use
	Signature of Owner William R. Lelman Kulolph Felman Date Dacamber 30, 1963

SE NE YNE See 30. TEL REA

Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Cchool of Mines and Quadruplicate for the Appropriator.

Chapter 137 Montpain Service Laws 1860) the bally of the Millian of the state of the second for addition and the second The again that we be all it delates to be increased by the transfer The world of the control of the cont And the second of the second o e de la francia. La facilità de la f garangaliti og Smortagat att (1996) i stillagar i Statis a elwith a the three is required to be a district to the contract of the of the horas of the many and a mile of a college of military of the contrast of  $A_{\rm cont}$  ,  $A_{\rm cont}$  ,  $A_{\rm cont}$ Company of the Compan aftern the material layer of a great of a fitted a material and a client of offered the reserving a final first of the first energy and we are expected to the second of the sec and the control of the second discount of the control of the contr A seed of the seed of the seed of ing some Arming and A was the state of the state of

The transfer was to the same of the second with is graph of the second of the desired that the second of the second Committee of the grant which

Because the Charles are a second of the contract of Control & Control Representation

#346945

PEC 3 II 1963 Cointy Chere

- 1 Ser Fair

30

CW 9

File No.....

т 21 в 9

DUPLICATE

County Edward

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER STATE ENGINEER

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

								Date of Appropriation of Groundwater 1933  Owner William R. & Rudolph Lehman				
								Address Shonkin, Montana				
								Contractor (if any) none				
								Address of Contractor				
			1	N_				Date Started1933 Date Completed				
,	X							Describe means of obtaining groundwater without a well "as her sub-arrigation and other natural processes". Include depth to				
w			3	0				water variable half, cleaned out spring and piped				
		+	-		-							
5W <u>M</u>	<u>/1/4</u>	MM.	Sec.	<b>3</b>	T-2/	. R	9E	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-				
In an	dica d pl	e poi	int of use	of ay	secd ozdc	pria ible.	tion	tent estimate approximate lengths of periods of use				
	•			•	•			stockwater - 75 gallons tank				
								3/4 gallons per minute claimed				
								Signature of Owner quilliam & Jehman Rudseph Sehman Date December 30, 1963				
								Date December 30, 1963				

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Pade Capter 227 Monain residentian 1961) Gebre of Appropriation of Louisdonnes College College in an analysis and a second of the second of Learning the administration Survey and the control of the contro Reform and it is bothly or to be to all the same thought of the consequence to be a second at Again about of the contraction with the contraction of And the second s . altered for matter superiors, to severa him the speed on their time of a supply All models of war in the control of The second secon

.50 in the estimate for the control of the constitution of the page estimates the

at where the production of the control of the first of the control of the control

man et la suite feit annaul et le suit Tha annaul et le suit annaul et le suit

STATE OF MONTANA. Bengele Boury

જ

30

GW 3

File No.....

DUPLICATE

T 21 R 9

County

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE JAN 7 1884

OFFICE OF STATE ENGINEER

STATE ENGINEER

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session 141Ws, 1961)

	Date of Appropriation of Groundwater 1936.  Owner EXXEX Kiles Swan, and Herbert R. Pasha  Address Highwood, Montana  Contractor (if any) None  Address of Contractor
SELINGISMINE. Sec. 30. T.21NRGR. Indicate point of appropriation and place of use, if possible.	Date Started
	Signature of Owner Miles Suran Hubert a. Parks Date 12-30-63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

A policy theorem that Mountain Section Land, 1994, and the second of the second o And the second and the second s The second secon The control of the co STATE OF MONTANAL COUNTY OF CHOINTEAU. PLO DEC 3 1 1963 10— . 200

GW 8 T 21 No. R 9 F. File No..... **DUPLICATE** STATE OF MONTANA JAN T ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER STATE ENGINEER NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater 1962 Owner Jack E. Batemen Address Shonkin, Montana Contractor (if any) Address of Contractor Date Started 1962 Date Completed 1962 Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Catch basin, rock lined, 3' deep, 3' square, 1" plastic pipe to 428 Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-Indicate point of appropriation tent estimate approximate lengths of periods of use 3 quarts and place of use, if possible.

SEXTENY SENSOC. 34 T.ZLER.9B

per minute, continuous flow used, onall year

round basisgenerally, supplemental stockwater.

Signature of Owner Jack & Tiesleme. Date 30 December 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

The state of the s Andrew Control of the Barrelline Commencer of the State of the Sta Confined of march of the confined of the confi Adde SCA Connector gain a 200 for hundard order to the second desired rate extra construction materials and a grant at the formation and of the w track abetacle. These are easily to hear the quarter of the water the state of The second of the second of the second of the second ..... along to mathematical from times at a large to the attention of the contraction of the co attended of our tall and the dealers of the control of the first terms of the control of the con The second of th A Company of the Comp The second of #347 222 STATE OF MONTANA. Plane <u>CFC 3 1 1963</u> 30 o'closk \_ County Clerk - Denuer 200 Pair

( Å
File No
DUPLICATE

				24
21. N	R	.9.	B	2


County Chauteau

#### STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE: JAN 7 1800

OFFICE OF STATE ENGINEER

and how co
and how co
and how co
on of the lan
on of the lar
id and the lo
n of any of
is act, includ
ber 1963
DOL TAPS
nich the well



or a mainisquages he today etastical place of use, if possible, Lach small equate represents 10 acres.

and the second s Application of the contract of and by the admit strained with a distribution of the high back as and an including the state of t A. H. A. William of the bearing of the second of the lands Line of well & man and he can in her bridge work and the event of the apparents for the control of the control apparent the gall analytic to be enough to the coand the state of t The first of the control of the cont

They and has trended there I william to the open opening to the second of The Control of the State of the

The state of the self-flux experiences have the general section ( ) and 0.17was a second of the second second second

 $(1, \dots, 1, \dots, 1,$ and the comment March 1 Control of the Albert March

> # 347 219 SEATS OF MONTHANA Par DEC 3 1 1903 11 4:30 P

· 1 \_ 28 00 Pro

	,		
Gyman		Approved Stock Form-State Publishing Co., Helena, Montana-3868	n 200/
File No		T. 21. N. R. 9. E.	
DUPLICATE		County Choutes	122
	STATE O	F MONTANA	

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961) ATE ENGINEER

per minute). 2 gallons per minute  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not place of use, if possible che small square represents 10 etc.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. satch basin, pipe and stockwater tank  The can of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920.  The depth of water table. Aft. below bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. galvanized culvert, lx inch pipe outlet.  The estimated amount of groundwater withdrawn each year 500,000 gallons  The log of formations encountered in the drilling of each well it available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.	Jack E. Batemana	
2. The beneficial use on which the claim is based. Stockwater.  Bousehold use  3. Date or approximate date of earliest beneficial use; and how continuous the use has been. Gontinuously. used. since 1920.  4. The amount of groundwater claimed (in miner's inches or gallons per minute). 2.gallons per minute.  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not appropriation of place of use, if possible, the small square represents 10 location of each well or other means of withdrawalartah. hasin. pipe. and stockwater.tank  The tand of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater1920.  The depth of water table. Aft. below bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3.fts. gallvanized culvert. 1% inch pipe.  Outlet.  The log of formations encountered in the drilling of each well it available.  The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record.  This is a developed spring. Flow was collected and utilized.	(Name of Appropriator)	
2. The beneficial use on which the claim is based. Stockwater.  Bousehold use  3. Date or approximate date of earliest beneficial use; and how continuous the use has been .Gontinuously used .since	County of Chouteau	State of Montana
2. The beneficial use on which the claim is basedStockwater  3. Date or approximate date of earliest beneficial use; and how continuous the use has beenGontinuouslyusedsinces1320  4. The amount of groundwater claimed (in miner's inches or gallons per minute)	have appropriated groundwater acco	ording to the Montana laws in effect prior to January 1, 1962, as follows:
Household use  3. Date or approximate date of earliest beneficial use; and how continuous the use has been Gontinuously used since 1920.  4. The amount of groundwater claimed (in miner's inches or gallons per minute). 2 gallons per minute  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not appropriation de place of use, if possible che small square represents 10  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawalcatah. basin. pipe. and stockwater. tank  The depth of water table. Aft. below bottom of coulee.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 fb. galvanized culvert. In inch. pipe.  Outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons.  The log of formations encountered in the drilling of each well it available.  The log of formations encountered in the drilling of each well it available.  The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow.  Was. collected and utilized.	N	
Household use  3. Date or approximate date of earliest beneficial use; and how continuous the use has been Gontinuously used since 1920.  4. The amount of groundwater claimed (in miner's inches or gallons per minute). 2 gallons per minute  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not appropriation de place of use, if possible che small square represents 10  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawalcatah. basin. pipe. and stockwater. tank  The depth of water table. Aft. below bottom of coulee.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 fb. galvanized culvert. In inch. pipe.  Outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons.  The log of formations encountered in the drilling of each well it available.  The log of formations encountered in the drilling of each well it available.  The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow.  Was. collected and utilized.	: : : : : : :	2. The heneficial use on which the claim is based Stockwater
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Gontinuously used since 1220.  4. The amount of groundwater claimed (in miner's inches or gallons per minute). 2 gallons per minute.  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not appropriation of place of use, if possible, che small square represents 10 ess.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal satish hasin, pipe, and stockwater tank.  The depth of water table. Aft. balow bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. gallyanized culyart, 1% inch pipe outlet.  The estimated amount of groundwater withdrawn each year 500,000 gallons.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		Housekold use
tinuous the use has been Gontinuously used since  1920.  4. The amount of groundwater claimed (in miner's inches or gallons per minute). 2 gallons per minute  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not appropriation in place of use, if possible, the small square represents 10 es.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal catch basin, pipe, and stockwater tank.  The depth of water table. Aft. below bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 fts. gallyanized culyart, 1% inch pipe.  The estimated amount of groundwater withdrawn each year 500,000 gallons.  The log of formations encountered in the drilling of each well if available.  not available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		***************************************
tinuous the use has been Gontinuously used since  1920.  4. The amount of groundwater claimed (in miner's inches or gallons per minute). 2 gallons per minute  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not appropriation in place of use, if possible, the small square represents 10 es.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal catch basin, pipe, and stockwater tank.  The depth of water table. Aft. below bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 fts. gallyanized culyart, 1% inch pipe.  The estimated amount of groundwater withdrawn each year 500,000 gallons.  The log of formations encountered in the drilling of each well if available.  not available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.	;	3. Date or approximate date of earliest heneficial use and how con-
4. The amount of groundwater claimed (in miner's inches or gallons per minute). 2. gallons. per minute.  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not place of use, if possible.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Satah.  The can, of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920.  The depth of water table. Aft. Delow bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3.ft. galvanized culvert, 1% inch pipe outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		• •
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 2.gallons.per.minute.  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not appropriation in place of use, if possible, the small square represents 10 cs.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Sutch basin, pipe. and stockwater tank.  The depth of water table. Aft. below bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3.ft. galvanized culvert, 1% inch pipe.  Outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons.  The log of formations encountered in the drilling of each well it available.  Not available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		1920.
per minute) 2 gallons per minute  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not applicable.  14. Sec. 34 215 R95.  16. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. satch basin, pipe and stockwater tank  The thin of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920  The depth of water table Aft. below bottom of coules.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. galvanized culvert, 1% inch pipe outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons  The log of formations encountered in the drilling of each well if available.  Not available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.	<del></del>	
per minute). 2 gallons per minute  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not applicable.  1. No. Sec. 34 1215 R 95.  1. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not applicable.  1. If used for irrigation, give the acreage and description of the owner thereof not. applicable.  1. If used for irrigation, give the acreage and description of the owner thereof not. applicable.  1. If used for irrigation, give the acreage and description of the owner thereof not. applicable.  1. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not. applicable.  1. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not. applicable.  1. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof name of withdrawing such water from the ground and the location of each well or other means of withdrawal. applicable not. applicable.  1. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. applicable.  1. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. applicable.  1. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. applicable.  1. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. applicable.  1. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. applicable.  1. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. applicable not applicable not applicable not applic		
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not appropriation in place of use, if possible, the small square represents 10 es.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. satch basin. pipe and stockwater tank  The can of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920  The depth of water table Aft. below bottom of coulee.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. galvanized culvert, 1% inch pipe outlet.  The estimated amount of groundwater withdrawn each year 500.000 gallons.  The log of formations encountered in the drilling of each well it available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof not spropriation of appropriation is place of use, if possible the small square represents 10 es.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawalattchbasinpipsand.stockwater.tank  The can of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater1920  The depth of water table. Aftbelow bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3.ftzalvanized culvert, lk inch pipe.  Outlet.  The estimated amount of groundwater withdrawn each year500.000 gallons  The log of formations encountered in the drilling of each well it available.  Not available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.  This is a developed spring. Flow was collected and utilized.		per minute) 2 gallons per minute
to which water has been applied and name of the owner thereof not appropriation in place of use, if possible, the small square represents 10 es.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawalcatian hasin pipe. and stockwater tank  The call of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1920.  The depth of water table Aft below. bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 3. fts galvanized culvort., 1% inch pipe Outlet.  The estimated amount of groundwater withdrawn each year 500,000 gallons.  The log of formations encountered in the drilling of each well it available.  The log of formations encountered in the drilling of each well it available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record This is a developed spring. Flow was collected and utilized.	<b>x</b>	***************************************
to which water has been applied and name of the owner thereof not appropriation in place of use, if possible, the small square represents 10 set.  The can of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920.  The depth of water table. Aft. balow bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 fts. galvanized culvort, 1% inch pipe outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		
mat applicable  No. Sec. 34 (218 R95)  licate point of appropriation in place of use, if possible che small square represents 10  es.  The means of withdrawing such water from the ground and the location of each well or other means of withdrawal entail hearin, place and stockwater tank  The cand of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920  The depth of water table Aft. below bottom of coulee  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. gallvanized culvert, lk inch pipe outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons  The log of formations encountered in the drilling of each well if available.  Dot available  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		
No. Sec. 24 (218 R.95)  licate point of appropriation of possible, the small square represents 10 des.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal catch hasin, pipe and stockwater tank.  The can of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920  The depth of water table Aft. below bottom of coulee.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. galvanized culvert, 1% inch pipe outlet.  The estimated amount of groundwater withdrawn each year 500,000 gallons.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		
icate point of appropriation in place of use, if possible. the small square represents 10 cs.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Satch hasin, pips and stockwater tank  The cand of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920  The depth of water table. Aft. below bottom of coulse  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. galvanized culvert, 1% inch pipe outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.	SUPPORT	
Construction of each well or other means of withdrawal. Satch basin, pips and stockwater tank  The carry of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920.  The depth of water table Aft. balow bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. zalvanized culvert, ly inch pipe outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		
Construction of each well or other means of withdrawal. Satch basin, pips and stockwater tank  The carry of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920.  The depth of water table Aft. balow bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. zalvanized culvert, ly inch pipe outlet.  The estimated amount of groundwater withdrawn each year. 500,000 gallons.  The log of formations encountered in the drilling of each well if available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.	icate point of appropriation	
the carrying out the policy of this act, including reference to book and page of any county record.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.  This is a developed spring. Flow.	l place of use, if possible.	6. The means of withdrawing such water from the ground and the
The carrying of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1920.  The depth of water table. Aft. balow bottom of coulse.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3. ft. zalvanized culvert, 1% inch pipe.  Outlet  The estimated amount of groundwater withdrawn each year. 500,000 gallons  The log of formations encountered in the drilling of each well if available.  not available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.	es.	
The Law of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater. 1920.  The depth of water table. Aft. below bottom of coulee.  So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 3 ft. galvanized culvert, lk inch pipe outlet.  The estimated amount of groundwater withdrawn each year 500.000 gallons.  The log of formations encountered in the drilling of each well if available.  not available.  Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This is a developed spring. Flow was collected and utilized.		hadin nine and stockwater tank
The cand of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater		KAGA444YA&Y4KHIAGXY.KB7/66KY44KHMM
The estimated amount of groundwater withdrawn each year	drawal of groundwater1920	mpletion of the construction of the well, wells, or other works for with-
Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record	drawal of groundwater	below bottom of coulee  type, size and depth of each well or the general specifications of any other dwater. 3 ft. galvanized culvert, 1% inch pipe
Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record	drawal of groundwater	mpletion of the construction of the well, wells, or other works for with- below bottom of coulee  type, size and depth of each well or the general specifications of any other dwater. 3 ft. galvanized culvert, 1% inch pipe
Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record	The depth of water table. Aft.  So far as it may be available, the works for the withdrawal of groun outlet.  The estimated amount of groundw.  The log of formations encountered	below bottom of coulee  type, size and depth of each well or the general specifications of any other dwater. 3 ft. galvanized culvert, 1% inch pipe  ater withdrawn each year. 500,000 gallons in the drilling of each well if available.
Signature of Owner Josh & Balesna	The depth of water table. Art.  So far as it may be available, the works for the withdrawal of groun outlet.  The estimated amount of groundw.  The log of formations encountered	below bottom of coulse.  type, size and depth of each well or the general specifications of any other dwater. 3 ft. galvanized culvert, 1% inch pipe  ater withdrawn each year. 500,000 gallons in the drilling of each well if available.
Signature of Owner Jack & Baleno	The depth of water table. Art.  So far as it may be available, the works for the withdrawal of groun outlet.  The estimated amount of groundw.  The log of formations encountered.  Such other information of a similar reference to book and page of any	mpletion of the construction of the well, wells, or other works for with- below bottom of coulse  type, size and depth of each well or the general specifications of any other dwater. 3 ft. galvanized culvert, lk inch pipe  ater withdrawn each year. 500,000 gallons in the drilling of each well if available  not available  r nature as may be useful in carrying out the policy of this act, including county record. This is a developed spring. Flow
	The depth of water table. Art.  So far as it may be available, the works for the withdrawal of groun outlet.  The estimated amount of groundw.  The log of formations encountered.  Such other information of a similar reference to book and page of any	mpletion of the construction of the well, wells, or other works for withbelow bottom of coulee  type, size and depth of each well or the general specifications of any other dwater. 3 ft. zalvanized culvert, 1% inch pipe  ater withdrawn each year. 500,000 gallons in the drilling of each well if available.  not available  r nature as may be useful in carrying out the policy of this act, including county record. This is a developed spring. Flow 1zed.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

Security of the control of the contr the same and the s and the second of the second o African Communication (Communication)

yang <mark>gandung sebuah</mark> kemendalah di sebuah s


STATE OF MONTANA. and DEC 3 1 1963 19

mi Jeo Pate

4:30 o'clark - FY Codary Cler

### ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER



•	apter 237, Montana Session Laws, 1961 STATE ENGINEER
Jack Bateman	of Fort Benton
(Name of Appropriator)	(Address) (Town)  State of Montana
County of Unoutest	ding to the Montana laws in effect prior to January 1, 1962, as follows:
N Biodiamani accor	ung to the montana mans in effect prior to valuarly 1, 1992, as ronows.
	2. The beneficial use on which the claim is based. Forestic.  Household, Irrigation, stockwater
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been Continuous used since
	1932
x	
	4. The amount of groundwater claimed (in miner's inches or gallons per minute)
8	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
4. SUKSec. 34 T.21. H. 9. E	1%scres adjoining well, claimant is owner.
icate point of appropriation place of use, if possible. In small square represents 10	<ol><li>The means of withdrawing such water from the ground and the location of each well or other means of withdrawalelectric.</li></ol>
	jet_pump_with_lk_inch_inlet_and_l_inchoutlet
drawal of groundwater1952	pletion of the construction of the well, wells, or other works for with
The depth of water tableTen19	pletion of the construction of the well, wells, or other works for with  et (NOTE: 7 feet is basement in house.)
The depth of water tableTenIs.  So far as it may be available, the ty	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet is basement in house.)
The depth of water tableTenIs.  So far as it may be available, the ty works for the withdrawal of groundy	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet is basement in house.)  7pe, size and depth of each well or the general specifications of any othe water.
The depth of water tableTenIs.  So far as it may be available, the ty works for the withdrawal of grounds	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet is basement in house.)  ype, size and depth of each well or the general specifications of any othe water.  t on electric jet pump
The depth of water table. Ten. 18.  So far as it may be available, the ty works for the withdrawal of ground	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet is basement in house.)  pe, size and depth of each well or the general specifications of any othe water.  ton electric jet pump
The depth of water table Ten Is.  So far as it may be available, the ty works for the withdrawal of grounds	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet 18 basement in house.)  ype, size and depth of each well or the general specifications of any othe water.  t on electric jet pump
The depth of water tableTenIs.  So far as it may be available, the ty works for the withdrawal of ground	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet is basement in house.)  pe, size and depth of each well or the general specifications of any othe water  t on electric jet pump  er withdrawn each year 500,000 gallons
The depth of water tableTenIs.  So far as it may be available, the ty works for the withdrawal of ground	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet is basement in house.)  ype, size and depth of each well or the general specifications of any othe water  ton electric jet pump  er withdrawn each year 500,000 gallons  n the drilling of each well if available
The depth of water table Ten 18.  So far as it may be available, the ty works for the withdrawal of grounds 19.  The estimated amount of groundwat The log of formations encountered in the stable section 19.  The stimated amount of groundwat 19.  The log of formations encountered in the stable section 19.  The log of formations encountered in the stable section 19.  The depth of water table Ten 19.  The depth of water table	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet is basement in house.)  pe, size and depth of each well or the general specifications of any othe water  t on electric jet pump  er withdrawn each year 500,000 gallons
The depth of water tableTenIs.  So far as it may be available, the ty works for the withdrawal of ground	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet is basement in house.)  ype, size and depth of each well or the general specifications of any othe water  ton electric jet pump  er withdrawn each year 500,000 gallons  n the drilling of each well if available
The depth of water tableTenIs.  So far as it may be available, the ty works for the withdrawal of grounds	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet 1s basement in house.)  ppe, size and depth of each well or the general specifications of any othe water  ton electric jet pump  er withdrawn each year 500,000 gallons  n the drilling of each well if available  avaislable
The depth of water table Ten Is.  So far as it may be available, the ty works for the withdrawal of grounds  It inlet I outle  The estimated amount of groundwat  The log of formations encountered in the log of formations encountered in the log of the properties of a similar of the log of the properties of the log	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet 1s basement in house.)  pe, size and depth of each well or the general specifications of any othe water.  t on electric jet pump  er withdrawn each year 500,000 gallons  n the drilling of each well if available.
The depth of water tableTenIs.  So far as it may be available, the ty works for the withdrawal of grounds	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet is basement in house.)  Tope, size and depth of each well or the general specifications of any othe water  ton electric jet pump  The withdrawn each year 500,000 gallons  In the drilling of each well if available  avaislable  mature as may be useful in carrying out the policy of this act, including ounty record. Well is 6 ft. deep below becoment.
drawal of groundwater	pletion of the construction of the well, wells, or other works for with  st (NOTE: 7 feet 1s basement in house.)  ppe, size and depth of each well or the general specifications of any othe water  ton electric jet pump  er withdrawn each year 500,000 gallons  n the drilling of each well if available  avaislable

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

STATE OF MONTANA. To COUNTY OF CHOUTEAU. Piled DEC 3 1 10 County Ca 4:30 o'clast-之心 huo

The state of the s

<u>alle del Care de La Care</u>lla de la Carella La Carella de La Carella de Carella de Carella de La Carella de La Carella de La Carella de Carella de Carella

enologica de la companya del companya de la companya del companya de la companya del companya de la companya de la companya de la companya del companya de la companya dela companya de la companya dela companya dela companya de la c

GROUNDWATER INDEX

Page / of /

County Chauleau Twp. 210 Rge. 100

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
4,9,15,	m Q. & Jean C. Murphry	663	35-1868	
5	Vosenh Nickhous	GW3	346426	
5	Joseph Diekhaus	0 w3	34/6427	
19	In J. & Jean C. Mushy	663	35 1865	
28/33	m & a Gan C. Marphy	663	35-1867	
31	Woodrack Land & Cattle Comp	663	346738	
32	Woodrock Land & Cattle Comp	6w3	340739	
			ii	
		<del>                                     </del>	1	
<b> </b>	<u> </u>			
		<del></del>		<u> </u>
<b>-</b>		<del></del>	<del></del>	
<b> </b>			<del></del>	
	<del> </del>			
	<del> </del>			<del></del>
-				
	<del> </del>			
				-
<u> </u>	<del> </del>			<del> </del>
-				
-	<del> </del>	+	<del></del>	
	<del></del>	<del></del> -		ļ
		<del></del>		<u> </u>
	<b>_</b>			ļ
		<del></del>		
<u> </u>				
<u> </u>				
<u> </u>				
	1	1		1

#### GW STATE WATER CONSERVATION BOARD NOV 23 1965 File No..... Bille County Chouteau McNulty DUPLICATE Morton Comme Sullivan STATE OF MONTANA Darlint\_n. Dickert ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL (Under Chapter 237 Montana Session Laws, 1961) Since 1894, used by Date of Appropriation of Groundwater Kingsburys & Lepley Owner M.J. Murphy and Jean C. Murphy, his wife. Address Geraldine, Montana None Contractor (if any) ... Address of Contractor Date Started 1894 Date Completed 1894 Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Subirrigation and other natural process; water from 1 to 3 feet below surface, running diagonally across the described sections in varying widths Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use .500 miners Indicate point of appropriation and place of use, if possible. inches estimated used from April 1 through October 1 of each year

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located:

November

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

Page of Appropriation of Countyweer Land and the second second Bolling Commence of the State o The first of the second of the second of and the though a model a new consistency of a solar to be a second of the con-California and the Secretary of the second of the second of the dran in colour is to this be a log interesting to a spring a state of the dimension of the state rapidite proper by integraphist ार भवा है। येवने र देश हेन्यूबर्ट बहुतांद्रकाराहु क्रमानेहर क्रांस ्नेक्ट्रेंस्ट न्हें के उन्तर के प्रताहित की प्र and the second of the first of the contract of the second 4357868 COUNTY OF MONTARY


1 Tueby Chapter 237 Medianic Reselver Corne, 1961)

CW	3

DUPLICATE

T 2/ R/B County Chouteau

# STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELLER

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater  Owner Joseph Dickhaus  Address Shonkin
	Contractor (if any)
N	Address of Contractor  Date Started 1938 Date Completed 1938
NW. 1/4 Sec. 5. To R/Q  Indicate point of appropriation and place of use, if possible.	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Next a spring by hand 4 ff delep  Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use
	Signature of Owner Joseph Dickham Date Dec 12, 1963

This feed be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

444	
late of Apperopriation of Linguistanter	
& A PART OF THE CONTRACT OF TH	
and the second of the second o	
Contractics sit any and are the state of the site of t	
ddies of Cantractor	· · · · · · · · · · · · · · · · · · ·
til Store I had Silver bear Completed . A Build	A contraction and common measurement in the foreign contraction of the
with norm of electing grandents without a well "so by	
dinage male in	
andrigen and the linear transfer and the linear transfer of the linear state of the linear state of the linear transfer of the linear state of the	
en egit erinde en	
	And the same was as a support of the same support of the same support
acutify of surer density, it and need with explanation of meth- cased to mersone or a content of amount. If needs intermit-	
	on the consequence of the control of
A MARINA MAR	
and the second of the second o	
Andrew Andrew Communication and the Communication of the Communication o	
e de la companya de La companya de la companya del companya de la companya del companya de la co	±*
the state of the s	
in was that in factor of the f	morphological formulation of the first of th
(27) Aktaul Seff Schoolster Alexander Schoolster (1997) and Philosophic	and was to see that the side of the side o
Design that is the control of the co	
ent of excellent in entropy of each of each of each of court of co	A 346 42 6 ATE OF MONTANA.  NTY OF CHOUTEAU.  Accorded 17 18 63  Li 30 o'clock, M  Scorge W. Harvey  Country Clean  Country Clean
By	1200 Devel Depos

'n

GW 3
File No.....

DUPLICATE

T. 2/ R 10 County Chouteau

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

DEC 18 1963

## NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT (WELL R

(Under Chapter 237 Montana Session Laws, 1961)

W.1/2 Sec. 5. T.21 R/O  Indicate point of appropriation and place of use, if possible.	Date of Appropriation of Groundwater  Owner South Dickhau  Address Monkin  Contractor (if any)  Address of Contractor  Date Started 1940 Date Completed 1940  Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable 1944 Acceptance of the sub-irrigation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use 1944 Acceptance of
	Signature of Owner of Date Del 12, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

the second of th

The second of the second of the second of the second

La Company of the green

gra coun

FIRST OF MONTANA.

COUNTY OF CHOUTEAU.

Filed 1: 30 o'chock FM

County Cherk J

County Cherk J

Re [ Way ] J. J. C. L. U Depur

Paid

STATE WATER CONSERVATION BOARD	Approved Stock Form-State	Publishing Co., Helena, Montana-38496	» /C
File No		T 21 N R 10 E	( (
DUBLICATE McDermott		County Chouteau	
Butzer n McNulty			
Coyle Morton	STATE OF MONTANA		
Darlinton Sullivan_ADMINIST	RATOR OF GROUNDWAT	ER CODE	
Dickert	יששעונטעש שהגהם מה שה	<b>D</b>	

## Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater 1894 - Kingsbury & M.J. Murphy and Lepley, Inc. Owner Jean C. Murphy, Address Geraldine, Montana his wife,
	Contractor (if any)
	Address of Contractor
	Date Started 1894 Date Completed 1894
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicableSpringsgurfacing.bynatural
	process in Sec. 19 & 30, T 21 N, R 10 E,
	flowing easterly from the spring area,
	known as Lepley Creek; water is from 1 to
	3 feet underground, surfacing at lower
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
8	estimate approximate lengths of periods of use500miners
xxxpxx Sec. 19 T21M R10 E	inches from April 1 through October 1 of
Indicate point of appropriation and place of use, if possible.	any given year.
	Signature of Owner M. Munghy
	DateNovember 20, 1965
	• • •

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

course of the state of the stat # 351861 WONTANT My Devel Depart July M. Dewell mount

File No. NOV	3 1965	T 21N R 10E	
Bille DUPLICATE	McNulty	County Choutea u	
Darinton  Dickert	STATE OF MONTANA		

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

						Date of Appropriation of Groundwater 1894 By Kingsbury, & Lepley, Inc.  Owner M.J. Murphy and Jean C. Murphy, his wife
						Address Geraldine, Montana
						Contractor (if any) None
						Address of Contractor
			N			Date Started 1894 Date Completed 1894
						Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	-		-}	+		water when applicable Springs surface on ground
W	$\vdash$	-	_	+		by natural process, forming creek known
						as "Willow Creek". Water is lft. to 3ft.
				-		below surface in area, surfacing at various points.
Ö	29 <u>4</u> 23	. Se	28 c	& <u>З</u>	in <sub>R</sub> 101	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
	dicate d place		of	appro	priation	
a	u pisc	. 01 1	100, 1	ı pusc	ALIANO.	inches from April 1 to October 1 of each
						and every year, with 250 miners inches from
						Oct.1 through April 1 of each and every year.
						Signature of Owner Date November 20, 1965

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

The Manager of the Control of the Co
the dreat a minute at the dreat and the drea
Contractor (if any)
Address of Contocue.
Park Started, Dark Completed, Started
"The all the standing relamberage gravitation to stand the standing of the sta
The state of the s
A Company of the Comp
(Institute of water developed and used with explanation of needless.)  See T. R. ed weed to measure or extensite such amount, It use is interestible.
Indicate poins of appropriation that estimate approximate lengths of periods of use med place of use, if possible.
and the control of th
Signature of Owner
and the state of t
This form to be prepared by control of floors in easy, was by the govern
of gines and an observable to a dealer small of this half of the same of the endors at the configuration of the maintenance.
The secretary of the market of the consequence of the consequence of the market of the consequence of the co
pair of an allairit, reconnect to be with all analogues recovered from a continuous and of braights and by any of the contrast of an about the contrast of an about the contrast of the contra
3:00 retrett Pu
Virled M Jewell mine.

File No	T211 R 102
DUPLICATE	County Chouteau
	STATE OF MONTANA  INISTRATOR OF GROUNDWATER CODE  OFFICE OF STATE ENGINEER  STATE ENGINEER  OF GROUNDWATER APPROPRIATION WITHOUT WELL
	er Chapter 237 Montana Session Laws, 1961)
	Date of Appropriation of Groundwater Dec 27, 1965
	Owner Woodcook Land and Cattle Comp.
,	Address Shonkin, Montana
	Contractor (if any) Did own work
	Address of Contractor Not Applicable
N	Date Startes bout 1940 Date Completed about 1940
2	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable The Spring wer dug out,
<b>w</b>	E cased and piped with a 1/2 inch pipe to
	a cement grough about 2'x5'x5' deep.
Indicate point of appropriati and place of use, if possible.	tent commune approximate reagans or periods or use
	used 12 months of year; This water is used

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

May be the state of the month of the section of the And the state of t way been book of the poly. Which was to be transfer on the properties of the first o THE RESERVE OF THE PROPERTY OF THE PROPERTY OF THE (4) 大学の関係を対象のできる。 Late of the state 738 1/100 orlock .

Company of Control Control Control Control Control

GW 3

File No.

Indicate point of appropriation

and place of use, if possible.

T 21 M R 10 R

County Chauteau

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

STATE ENGINEER


#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

Date of Appropriation of Groundwater
Owner Woodcock Land and Catile Comp.
Address Shonkin, Montana
Contractor (if any) Did own work
Address of Contractor Not applicable
Date Started 1940 about Date Completed 1940 about

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. This spring was dug out to some extent to increase the flow for stock to water by. This is also the head

of a small flow of water that flows down the double



This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Kagineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

346739

DEC 27 1963

以下 100mm 1

South Market Control of the Control

ordy Marke as the proof of the company of the engineering statement of the company of the compan

The Property of the second of

Company of the angle of the company of the company

and the second of the comparable with the contraction of

The order of the passage of the contract

GROUNDWATER INDEX

Page / of/

County Charleau

Twp. 3/10 Rge. 1/8

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
/	City of Genaldine	1961	No#	
1	City of Geraldine	1961	170×	
/	City of Graddine	1961	No#	
/	John m. Stoas	CONY	346/29	
/	City of L'exalding	6,03	347/05	
1	Title of Gleraldine	6974	347106	
/	Vitu of Geraldine	004	347107	
3	Mah. Il. Davis	GWY	347/42	
3	Moah I davis	Cow3	347/39	
/3	Charles 7 Stoos	603	346/3/	
/3	Charles NoBart Bell	GW3	346083	
14	Juldeman Grain Co	GW3	346887	
19	Mary L. Klay	6104	34/6787	
19	Mary L. Klay	Gw3	346,285	
22	Woodnew W. Schlog	664	34/7247	
23	Dexter A. Buck	Ca14	347/3/	<del></del>
32	Woodson W. Schlog	Cay	347346	
23	Wrodnew W Schlog	6104	347245	
23	Juedeman Grain Co.	BW3	346838	
23	Juedeman Grain Co	C123	346.886	
23	dextra. A. Buck	6103	347/30	
29	Clydia Carley	Gwy	346427	<del></del>
29	Clyde E. Carley	1958	Not.	
32	Oludi F. Cartie	GWY	346418	
32	Clude & Colley	GWY	341.400	
30	Oncie E. Conton	1958	Mo#	
33	1 - 7 - · · · · · · · · · · · · · · · · ·	1958	162	
33		1958	Mr.	
33		Givy	34646	
35	Honge m Glagat	Colory	346996	
36	State of Wortana	GW3	308982	
			+	
$\vdash$		<del></del>	<del>-  </del>	
<b></b> -	<del></del>	<del></del>	<del></del>	<del></del>
<del>                                     </del>				<del></del>
<del>                                     </del>				
<b> </b>		<del></del>	<del>                                     </del>	
<b>—</b>				
			+	
			1	
	1			
			1	
			1	<del> </del>
				<del></del>

-1	
77	
	•

				•
•	•		T. 21 N R	
			CountyChouseau	
			][[0]	ECELVED
	MONTANA BUR	EAU OF MINES AN Butte, Montana		AH 7 1981
	W	ATER WELL LOG	STAT	E ENGINEER
	Owner Geraldine	e, City	Address Gerald	line, Mont
	priller O.C. That	cher	Address Stanfo	ed Moat.
	Date StartedMarch	13. 1959	Date Completed	March 24, 1 <b>99</b> 9
	Location: Sec1	T21NR111	E. 1/4 sec NV 1/4 of	the SE 1/4
Type of well. Dri	lled	Equipment us	ed Rotary	***************************************
	(Dug, driven, bored, or drill	_		tary, other)
Water use: Domestic	Munic	ipal X st	ock Irrie	ation
Industrial	Drain	age Other		***************************************
Casing: Q	.ft. to	t. Type Galvaniz	ed· size 2"	······································
Casing: 1773	.ft. to 1877	t. Type Galvaniz	ed Size 1 1/2	
Casing:	ft. to	t. Type	Size	
Perforated or Screened	l: Ft 1773 t	o ft1877 F	t to 1	t
Type of screen or perfor	rations 164 of	pipe with Perfo	rations and Wel	ded joins as line
Static Water level, for n	ion-flowing well:			feet.
Shut-in pressure, for fle	owing well: 12	0 1b./sq. in.	on: March 28, 19	59
Pumping water level		feet at	•	•
How tested:		,		
Length of test				
Remarks: (Gravel page	cking, cementing, pack	ers, type of shut-off, d	epth of shut-off)	
Pipe cemen	tedinandaflc	ow_of_27_1/2_gai.		
· · · · · · · · · · · · · · · · · · ·				
			***************************************	************
@ <b>@</b>		(over)		

TO THE OWNER OF THE OWNER OWNER

Log of Well

	, feet	en en la companya de
From	To	Description of Material Drilled
0	55	Tellow clay overberden
55	115	Blue Shale
115	117	Bentonite
117-	170	- Blue Shale
178	216	Blue Sandy Shale
216	218	Sandstone
218	365	Blue shale with layers of sandstone
385 518	518	Blue Shale
518	56//	Blue sandy shale
567	765	Soft blue shale
765	842	- Very herd limey blue shele with sandstone leyers -
842	904	Black shal with layers of hard sandstone and benton
904	911	Sandstone
911	900	Black shale with layers of schoolstone
980 985	985	Blue Shale
985	992	Hard sandstone
992	1019	Layers of hard and medium soft sandstone
1019	1070	Blue shale
1070	1073	#andstone
1073	1145	Blue Shele
1145	1255	Blue sandy shale with layers of sandstone
1255_	1397	Blue Shale
1397	1478	Sandy blue shale
1478	1485	Grey Shale
1485	1501	Green sandstone
1501	1555	Grey shale
1555	1624	Red shale
1624	1675	Medium hard sandstone with a few layers of hard san shale.
1575	1705	Red sandy shale
1705	1757	Hard sendy shale
1757	1776	Medium hard sends tone
1776_	1790	Hard sendstone
1790	1840	Soft to medium soft sandst ne
1840	1855	Very soft coarse sandstone ( dater )
1855	185 <b>5</b> 185 <b>7</b>	Very soft course sandstone ( later ) Hard limey shale
	<del>i</del>	
	<u> </u>	
	-	
	<del></del>	

12 3

	3			<b>T</b> 2	ln	R1	1 E SEC
				County.	Chou	teau .	***************************************
	MONTANA		OF MINES A	AND GEOLO	OGY [	)EC. U	EIVE
		WATE	R WELL LO	Č.	S	TATE	ENGINEE
	Owner Gera	ldine, Ci	<u>LY</u>	Add	ress Ge	caldine	. Mont
	Driller O.C.	Thatcher		A66	ress. Sta	ındford	Mont.
	Date Started	Nov. 19.	1959	Date	<b>Complete</b>	dJan	i <u>. 1, 19</u> 60
	Location: Sec	т.	21 T R 1	1E ⅓ secS	in 1/4	fthe	SE 1/4
Type of wellDrill	ed (Dug. drives, bored	or drilled)	<u> </u>	used	Kotary (Churn drill	, rotary, oth	er)
Water use: Domestic		Municipal [	x	Stock	Iı	rigation	
Industrial		Drainage {	Oth	1er:		***************************************	
Casing: Q	ft. to 1756	ft. ?	rype Galvan	ized s	ze4	<u>/2 " C</u>	).D.
Casing: 1746	ft. to 1372	ft. '	rype Black	Si	ize	3"	
Casing:	ft. to	ft. '	Гуре	8:	lze		***************************************
Perforated or Screened	i: Ft. 1746	to ft	1372	. Ft	t	o ft	
Type of screen or perfo	rations Bla	ck <b>B</b> ipe S	lot Perfo	rations	••••••		
Static Water level, for 1	non-flowing well:					····	feet.
Shut-in pressure, for fl	owing well:	140	lb./sq.	in. on:		, 1960 ate)	<u>)</u>
Pumping water level		feet a	ıt		gal. pe	r min	
How tested:				•	•••••••	•••••••	••••••
Length of test		••••		······	***************************************	••••••	
Remarks: (Gravel pa	cking, cementing	, packers, ty	pe of shut-off	, depth of sh	ut-off)		
Well Drilled	l to 2217 1/	'2 ft. Si	ılphur wat	er at thi	s Dept	h. Pacl	cer set
at 1965 ft.	cementem in	with 20	sacks cem	ent. Sul:	ohur w	ter sh	it off
leaving a f	low of aprox	. 65 to	70 gal. a	min. of	rond wa	ter.	***************************************
	•••••	•••••		***************************************	***************************************		•••••••
				***************************************	••••••		***************************************
			(over)				

T

....

		Log of Well
Depti	n, feet	
From	To	Description of Material Drilled
0	1051/2	Shale with gravel first 5 ft. then Yellow clay overbarden
105 1	2 110	Gravish shale
110	120	Layers of bantonite and sandy shale
120	550	Blue sendy shale
550	450	Blue sandy simile
450	515	Hard sandy shale
515 565	565	Hard sandstone
632	632 687	Blue shale Hard sandstone and shele
687	737	Hard sandy shale
737	780	Hard sand stone
780	820	Sandstone and layers of sandy shele
		Some south sheeld
820	882	Hard dendstone with layers of sandy shale
882	902	Soft blue siele (maddy)
902	940	Leyers of sandy shale and sandstone
940	1030	Alternate hard sandatone and sandy sitale
1030	1070	Sandy blue shale
1070	1135	Sandy shele with layers of sandstone Soft mendy when held and sendstone
1135 1195	1195 1198	
1199	1315	Hard sandst ne
1315	1449	Sandy shale
1449	1510	Alt. sendy shale and here sends sone
1510	1515	Soft sendstone
1515	1600	Alt. hard sandstons and empl. shale
1600	1610	Red shale
1610	1618	groy andy chile
1618	1623	Hard sandssone and sandy chale
	1662	Hard sendstone
1662	1667	Gray and red shale
1667 1728	1728 1750	Sande sone Sandy shale and sands sone
1790	1835	Hard cands bone 1 of 1. We ter per ten.
1335	1355	Plack and white a nd regrox. 60 gal. with per min.
1855	1,18	Soft sands to e
1915	1307	Trivi sandspage ( while )
1937	2015	Hord spadet me
<del>-201;</del>	2052	Jandakono, gra, di si madik ta anti fizati
2050		liano greg stadeto o
- <del>20 y</del>		Wilte bendeto e
2 <u>117</u> 2151	2151 2137	Hard raid spasse
2137	2216	Rand Sandstone
	1 217 1/	
1. 44.		
	i	

	//
T21 NR11E5£	CI
CountyCheateau	
MONTANA BUREAU OF MINES AND GEOLOGY  Butte, Montana  AM G 198	
WATER WELL LOG STATE ENGIN	EER
Owner Geraldine, Gity AddressGeraldine Wont	
DrillerO.C. Thatcher Address Stanford Mont	
Date Started March 26.1959 Date Completed April 10,	.1959
Location: Sec. 1 T. 21 N. R. 11 E% sec. NW. 1/4 of the SW 1/4	<b></b>
Type of well Drilled, Equipment used Rotary (Churn drill, rotary, other)	•••••
Water use: Domestic Municipal X Stock Irrigation	
Industrial Drainage Other:	•••••
Casing: O ft. to 1908 ft. Type Galvanized Size 2"	
Casing:ft. toft. TypeSize	
Casing:ft. toft Type Size	*******
Perforated or Screened: Ft1858 to ft1908 Ft to ft	
Type of screen or perforations Galvanized Pine Slot Parforations	
Static Water level, for non-flowing well:	feet.
Shut-in pressure, for flowing well: 120. lb./sq. in. on: May 1 1959 (date)	
Pumping water levelgal. per mingal. per min	•••••
How tested:	······
Length of test	
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)	
Hole Cased with 1908' of 2" Bal. pape. Cemented in Producing approx	
60 gal. per min. free flow.	······
	·····
	•••••••

(over)

Log of Well

Depth	, feet	Description of Research Poulling
From	То	Description of Material Drilled
0	36	Overburden and surface clay
36	44	Rive shale
44	145	Grey shale with some thin sand streaks
145	295	Grey to blue shale with some layers of hard
		black slatey sandstone and bentonite or talc.
295	568	Grey shale
568	775	Layers of sandstone and shale
775	850	Hard sandy shale
850	885	Sandstone
885	910	Layers of soft shale and hard sandy shale
910	1040	Layers of hard shale and sandstone
1040	1130	Blue shale
1130	1210	Hard sondy shale with layers of sandstone
1210	1270	Sandatone
1270	1405	Sandy shale
1405 1460	1460 1565	Hard sandy shale Sandy grey shale with layers of sandstone
1400	1600	Red shale
1565 1 <b>6</b> 00	1650	Sendstone
1650	1685	Red shale
<del>1685</del>	1705	Hard sendstone
1705	1720	Shale
1720_	1784	Levers of hard sendstone and shale
1784	1815	Hard sandstone
1815	1830	Shale
1830	1858	Very hard sendstone
1858	1901	Soft coarse sendstone (Water)
1901	1905	Hard sandstone
	<u> </u>	
	<u> </u>	
	1	
	!	
	1	
	·	
	1	
	i	
	1	
	1	
	i	
	·	
<del></del>	<del> </del>	
	1	
	<del></del>	
	<del></del>	
		•
	i	
	<u> </u>	

G.				
File No				
	4-5	O	1	
DUPLICATE	Ċ	1.5		
	ž.	: 4		
	- 1		Ö	
		7.5		

County XXXX Chouteau

(Unde	OF VESTED GROUNDWATER RIGHTS (IN EER or Chapter 237, Montana Session Laws, 1961)
John M. Stocs	of Geraldine
(Name of Appropris	ator) (Address) (Town)
County of Chouteau	State of Montana according to the Montana laws in effect prior to January 1, 1962, as follows:
N	2. The heneficial use on which the claim is based
	and residence water
3	3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1948—constant
E	
	4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5 gallons
	5. If used for irrigation, give the acreage and description of the lands
S	to which water has been applied and name of the owner thereof
•	
7. The date of commencement and	d completion of the construction of the well, wells, or other works for with-
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with 48.  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch galvanized steel, 30 feet deep.
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with  48.  O feet  the type, size and depth of each well or the general specifications of any other coundwater 48 inch, galvanized steel, 30 feet deep.
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with 48.  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch.galvanized steel, 30 feet deep.
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with- 48  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch, galvanized steel, 30 feet deep.  etric pump.
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with- 48  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch, galvanized steel, 30 feet deep  etric pump.  Individual of the well of the general specifications of any other roundwater withdrawn each year 500,000 gallons.  Individual of the december of the well of the well, wells, or other works for withdrawn of the well or the general specifications of any other roundwater withdrawn each year 500,000 gallons.
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with  8  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch, galvanized steel, 30 feet deep  etric pump.  andwater withdrawn each year 500,000 gallons.  red in the drilling of each well if available
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with 48.  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch, galvanized steel, 30 feet deep etric pump.  Indwater withdrawn each year 500,000 gallons ared in the drilling of each well if available  milar nature as may be useful in carrying out the policy of this act, including any county record.
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with 48.  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch.galvanized steel, 30 feet deep.  etric pump.  Indwater withdrawn each year 500,000 gallons.  red in the drilling of each well if available  milar nature as may be useful in carrying out the policy of this act, including any county record.  DOM:
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with 48.  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch.gelvanized steel, 30 feet deep etric pump.  Indwater withdrawn each year 500,000 gellons.  Tred in the drilling of each well if available  milar nature as may be useful in carrying out the policy of this act, including any county record.  Signature of Owner 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with 48.  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch.galvanized steel, 30 feet deep etric pump.  Individually the drilling of each well if available any county record.  Signature of Owner Anne.  Date 1/52 7
7. The date of commencement and drawal of groundwater	d completion of the construction of the well, wells, or other works for with 48.  O feet  the type, size and depth of each well or the general specifications of any other coundwater 48 inch, galvanized steel, 30 feet deep etric pump.  Individually a steel, 30 feet deep etric pump.  Individually a steel of the county of this act, including any county record.  Signature of Owner Date 1000 Date 1
drawal of groundwater	d completion of the construction of the well, wells, or other works for with 48.  O feet  the type, size and depth of each well or the general specifications of any other roundwater 48 inch.galvanized steel, 30 feet deep  etric pump.  Individual steel and seed year 500,000 gallons.  Individual steel and seed well if available and seed in the drilling of each well if available.  Signature of Owner 200.  Signature of Owner 200.  Date 100.  Date 100.

346129 place of use, if possible fractionall square represents 10 acres. kadiente pobit of apprepriation aci-THE SALL SON AS THE File No. 9. • CAMP OF the theory of analysis were the property of The Public

The Public

ATE OF DOMESTAN

NTY OF CHOUSEAU

Nov. 29

2:45 regarded to the adjusted of the A manufacture of which is the gainst additional and the second of the contract The first three the second section of the first and the south on more as the section to the section of and tables and the section of tion of each unit or other assess so that death or too ला राज्य केटर के जिल्हा を必要の行列ではいるので TORILLY TO . . . . .

GW 3 File No..... DUPLICATE County. STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER STATE ENGINEER NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL (Under Chapter 237 Montana Session Laws, 1961) September 6, 1918 Date of Appropriation of Groundwater Town of Geraldine Geraldine, Chouteau County, Montana Address.... None Contractor (if any) ..... Address of Contractor .... None ...... Date Completed. Date Started ..... Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Groundwater from flowing springs

Indicate point of appropriation and place of use, if possible.

Water used thru out city limits of Town of Geraldine, Mont. tent estimate approximate lengths of periods of use Full flow.

of the springs used by gravity from 1918 until

impounded in reservoir for distribution into a

1958. Full flow not used continuously since

1958 - now pumped into standpipe, intermittantly.

Signature of Owner The VM expuser, Clerk

Date December 30, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

	upter 227 At minus Seeding Laws, 1964)	and become the
	the of Appropriation of Gromphydict	
	Community to transmitted the man	
	Control of the state of the sta	
	The second of th	
	The second of th	
	Court of the Court	grants the base of the same production of the same of
	<ul> <li>A entition in General and one declaration by the control of the cont</li></ul>	
	A TANK TO MALE OF MARK THE WORLDOOM CONTROL	
	$\frac{\partial^2}{\partial t} (\mathbf{M}_{t}, (\mathbf{M}_{t}, \mathbf{M}_{t}), (\mathbf{M}_{t}, \mathbf{M}_{t})) = \frac{\partial}{\partial t} \left( \mathbf{M}_{t}, (\mathbf{M}_{t}, \mathbf{M}_{t}), (\mathbf{M}_{t}, \mathbf{M}_{t}), (\mathbf{M}_{t}, \mathbf{M}_{t}) \right) + \frac{\partial}{\partial t} \left( \mathbf{M}_{t}, (\mathbf{M}_{t}, \mathbf{M}_{t}), (\mathbf{M}_{t}, \mathbf{M}_{t}), (\mathbf{M}_{t}, \mathbf{M}_{t}) \right)$	Specific harmonic and the
	$(1, \dots, 1, $	
		<b>ta</b>
	Atom to estim by the second of the state of the second of	The second secon
		•
	The state of the s	* **
	- The Area South And The Head Research And	* **
	·	* **
	·	* **
		* **
		at the second of
		at the state of setting the setting of the setting
• .	And the second of the second o	at the second of
	And the second of the second o	at the proof of the state of th
	And the second of the efficient face of the entry of the	at the second of
	And the second of the second o	STATE OF MONTANA. To JOUNTY DEC ST 1900
•	And the second of the second o	STATE OF MONTANAL TELL DELG 3 1 1000
	And the second of the second o	STATE OF MONTANAL TER  DELY 1 1505  Filed  4: 30 o'clock  P. 18
	And the second of the second o	STATE OF MONTANAL TELL DELG 3 1 1000

to a summary	والمربوق المستندان والمستند	
J		~ /
File No		T. 2.1 R //
		County Charles
DUPLICATE		
	STATE OF MONTANA	
	RATOR OF GROUNDWATER	CODE
·	FICE OF STATE ENGINEER	JAN 7 1986
DECLARATION OF (Under Chap	VESTED GROUNDV ster 237, Montana Session Laws	MATER RIGHTSER , 1961)
Town of Geraldine	, of	Geraldine
(Name of Appropriator)	(Address)	(Town)
County of Chouteau	State of Mon	teng
have appropriated groundwater accord		
, N	2. The beneficial use on windsign of Municipal wat	er supply system.
		earliest beneficial use; and how con-
	tinuous the use has been .Ac	quired May 1K, 1931 - not
	yet ever been placed	in operation.
W E		······································
<del></del>	4. The amount of groundwater	claimed (in minets inches or gallons
		as perminute.
		e acreage and description of the lands
S		ied and name of the owner thereof
SW 1/4 NEX Sec. 1 T21N R11E.	Water not presently	y used.
Indicate point of appropriation and		
place of use, if possible. Each small	6. The means of withdrawing su	ch water from the ground and the loca- ans of withdrawal Water will be
square represents 10 acres. Water will be used within	non or each wen or other me	to Municipal system.
city limits of Town of	***************************************	
Geraldine. 7. The date of commencement and comp	letion of the construction of the	well, wells, or other works for with-
<del>-</del>		y, 1931.
8. The depth of water table 1200 i		
9. So far as it may be available, the type	size and denth of each well or	
works for the withdrawal of groundw	ater Well drilled to a d	epth of 1400 feet. Cased
for the top 300 feet with 1:	% inch casing.	
10. The estimated amount , grundwate	er withdrawn each year None	withdrawn yet.
11. The log of formations encountered in well drilled as a wildca	the drilling of each well if availant	able No log available.
Town of Geraldine not to	plug the water bearing	sands. Well presently
not being used, but is a	vailable for use of Town	of Geraldine.
12. Such other information of a similar reference to book and page ( ) any cou	nature as may be useful in carre	the policy of this act, including but see above.
	Mayor L	of Geraldine Clark
Si	gnature of Owner	Date December 30, 1963
Three copies to be filed by the owner wit		<del>-</del>
located.		-
Please answer all questions. If not appli	cable, so state, otherwise the for	m wili bu returned.

in . on the area. (Name of Apprepriator (section) (Town) County of Countries Back Section 1995 have appropriated grounds on a secretage to the Mosteria laws in effect prior to Jamary L. 1962, as follows: - Property and the which the chain is haren Puttered Barens . solder close with this in the contract to th and ned has com therefore a office to delice which the control of theory - 1881, 42 are from the property of the contract of . dollara e al beast pres a 12.29; mother, an endouted the control to be adequated on a beautiful to a control to Specifical sections of the second section of the section of t all reserves to the second second edic Police Seed and Take Re-And the physical property of the control of the con المراجع والمحارب المحاربين المستد The second second second place of use, it position it is sent o мане пургозень 10 вест. Sufference to be stone to 1 1 1 of the bound of the award Local Bank, " Line 4. The first of the f The state of the state of the state of the . Alberta schare to the second of the second galta se s .... . . . . The state of the s #347 106 STATE OF MONTANA. ( SOUNTY OF CHOUTEAU. Section 1 Contract Contract A transfer of the cury County Cler ...1)eps 200

Gh 4	T. 21
File No	<u>:</u>
ADMINISTR	STATE OF MONTANA ATOR OF GROUNDWATER CODE  JAN  JAN  JAN  JAN  JAN  JAN  JAN  JA
	VESTED GROUNDWATER RIGHTS NEER er 237, Montana Session Laws, 1961)
(Name of Appropriator)  Choutest	, of Geraldine (Address) (Town)  State of Montana  State of Montana laws in effect prior to January 1, 1962, as follows:
.N	2. The beneficial use on which the claim is based Municipal water will to supplement present Municipal water system.  3. Date or approximate date of earliest beneficial use; and how continuous the use has been May, 1963 - used continuously thrugut summer, otherwise intermittantly.
4	per minute) 60 gallons per minute while berg pumped.  If used for irrigation, give the acreage and description of the lands
SW 1/NEW Sec. 1 T21N R11E.	to which water has been applied and name of the owner thereof  Used extensively for summer irrigation within  city limits of Geraldine.
square represents 10 acres.  Water used thru out city limits of Town	5. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal  Electrical submersible pump.
7. The date of commencement and complete drawal of groundwater Started	etion of the construction of the well, wells, or other works for with- April, 1963 - Completed May, 1963.
8. The depth of water table 300 feet 9. So far as it may be available, the type, works for the withdrawal of groundwa 7 inch and 8 inch casing.	size and depth of each well or the general specifications of any other ter Drilled to 300 feet. Cased to 300 feet with
11. The log of formations encountered in the	reabous unknown,
12. Such other information of a similar na	ture as may be useful in carrying out the policy of this act, including ty record
	4

Date December 30, 1963 Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Signature of Owner Mayor.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

G 4 File No	T = R // 3
DUPLICATE	County #722 D
STATE OF MONTANA ADMENISTRATION OF GROUNDWATER	CODE
OFPEN, ASTATE ENGINEER	STATE ELEMBEER
(Under Chapter 237, Montana Session Laws,	
1. Nooh G. DAVIS), of Geraldin (Name of Appropriator) (Address)	(Town)
County of Chatea State of Mon	
have appropriated groundwater according to the Montana laws in effect	
2. The beneficial use on which to Stack water	he claim is based Home +
tinuous the use has been	earliest beneficial use; and how con- 910 - CONTINOUS
4. The amount of groundwater per minute) #4.8 04.	claimed (in miner's inches or gallons
5. If used for irrigation, Sive the to which water has been applied to which water has been applied to the state of the st	e acreage and description of the lands ed and name of the owner thereof
place of use, if possible. Each small square represents 10 acres.  6. The means of withdrawing su tion of each well or other means of withdrawing su tion of ea	ch water from the ground and the loca- ans of withdrawal
7. The date of commencement and completion of the warment of drawal of groundwater / 10 Wind Medi-	***************************************
8. The depth of water table 56 fest	
9. So far as it may be available, the type, size and depth of much well or works for the withdrawal of groundwater  1/2 H Jan Flagor Deep well Pump w  Plastic Wine In The well	the general specifications of any other
10. The estimated amount of groundwater withdrawn each year	o ógo gullons
11. The log of formations encountered in the drilling of each well if availa	ble
11. THE LOG OF THE ONLY SOIL  67' - GIOINITE  3' - SOND I GIOVA!	
3' - Sond + Grevel	
12. Such other information of a similar nature as may be useful in carryi reference to book and page of any county record	ng our colicy of this act, including

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Signature of Owner. Deal & Da

Date 12-31-63

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

 $\partial S_{k-1} (\xi_{k+1})_{k=1}$ 

GW 3


File No.....

T 21 N. R 11 E.

DUPLICATE

County Chouteau

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER



# NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater September 1, 1933
	Owner Noah G. Davis
	Address Geraldine, Montana
	Contractor (if any)
	Address of Contractor m/a
N_	Date Started Sept. 1, 1933 Date Completed September 1, 1933
# spring	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
w	water when applicable natural spring, flowing at surface,
*	
Sec. 3 T.21N-R	Quantity of water developed and used with explanation of methods od used to measure or estimate such amount. If use is intermit-
Indicate point of appropriation	tent estimate approximate lengths of periods of use
and place of use, if possible.	10 gallens per minute, estimated flow, continuous wee
	man Mark of Access
	Signature of Owner Dank & Sauce Date 12/31/63
	Date

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

(Under Chapter 237 Montana Section Laws 1967) That of Angeographics of Caramathanter ... Harman the Land as visual skips rangan di manggan di Manggan di Sanggan di Manggan di Manggan di Manggan di Manggan di Manggan di Manggan di M Manggan di M ..... (goa M) semantant

The transfer of the second second with the second second of the second "rad and "flow is investign removing on the or to answer within the est includion and they are stall powerses. Declare depth to and the second of the contract of the second officer to a second

notinièm vyjá kint dem sembil solden a tronic ta sembil box

-draw to not republic a drive heavy been beginned a notice to give off. dicardini di ren H. Antonico dente il paliterata interesse ed area for their interceptanteral terrelation of second control of their

Address of themselves are the Herrican property of the property of

e njarožijskih je selejijas i kaj njegoji nastijas selije i je

the second second second to the second secon

1. 14. . . . .

त्राच्या के तर्र है । अर्जुन अर्जुन होता हो। व्यक्तिस्थानक अर्थ क्षत्राहरू को लाहा भी भी 🕮

A state of the second of the s A miles to the site of the state of the state of the state of Ante of the estate of detect

Secretary of the second of the edizable of the second of the edizable of the second of STATE OF MONTANA.

Pm 3 200

GW S

Tile	No	
rne	INO	

T.21 R.11

DUPLICATE

County Chouteau DECEIVE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

				•					Date of Appropriation of Groundwater
									Owner Charles F. Stoos
									Address Geraldine, Montana
									Contractor (if any) LeRoy Olson
									Address of Contractor Gerandine, Montana
				,	N				Date Started. 1960. Date Completed 1960.
									Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
									water when applicableGravity flow, 6 feet
W								X	E
1		-		-	-	-	-	_	
				-	-	-	-	-	
	1/4.		9.		5	r e	7 R	11	Quantity of water developed and used with explanation of meth- cid used to measure or estimate such amount. If use is intermit-
In	74. dicat d pla	e p	oin	et o	f ap	pro	pria	tion	<b>`</b> .
									2 gallons per minute, continuous use measured with a gallon container.
									×
									Signature of Owner Charles Fistore
									Date 24, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

M 33

346/3/

Charles F Stoos
to
The Public
•
STATE OF MONTANA, COUNTY OF CHOUTEAU.
Filed Nov 29 63
at 2:45 o'clock P
County Clerk
ByDeouty.

All the control of th

many and the property of the first of the second of the se

The respect on the specifical advantages and a specifical property of the subsection in the contract of

File No.....

DUPLICATE

T. ZIR II

County Chaterer

DECEIVE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

STATE ENGINEER

### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater not applicable
	Owner Charles Hobart Bell
	Address Geraldine Montana
	Contractor (if any) Roy Olson
	Address of ContractorGeraldine, Montana
N	Date Started May 20, 1961. Date Completed May 30, 1961
	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicablecleaned out apring and then
W	piped it to stock water tanks lower elevation
SWSE_1/4 Sec13 T.21 R1	Quantity of water developed and used with explanation of meth-  d used to measure or estimate such amount. If use is internal.
Indicate point of appropriation and place of use, if possible.	tent estimate approximate lengths of periods of use
and place of use, it possible.	I water up to 100 head cattle daily and
	many times that amount of water flows on to
	irrigate a small area.
	Signature of Owner Charles Held Bull Date November 20,1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Under Chapter 227 Monorns Session Laws 1964 i Date of Appropriation of Geometrater Law Light Land target Land Adhee The (rea H) below that of the ellew a brindler establishing periods to be easily re-Territoria de la Consessa de la como de la consessa de la como della como de la como dela como dela como de la como de la como de la como de la como dela como de la como dela como de la como dela c The state of the s Quently of mater developed and used with explanation of math signification of the description of the state of the stat libelisate posset of appropriation and release approximate largue of particles of a comment of the comments of STREET & COURSE And the sail Commence of the second state of the to be otherwall from differ will add to the the same of the sail. \*\*\* 1500 1 A CLAR BENEFIT OF SOME SECTION Additional to the same for the same of #246083 Constitution of the sales of

THE LIGHT REPRESENTATION OF MENDAMENTAL AND ARTHURS.

	شي الماريخ المتحدد الم
GW 3	
File No	TAIN R 1/E
DUPLICATE	County CHOUTEAY
STATE OF ADMINISTRATOR OF O OFFICE OF STA	MONTANA  CROUNDWATER COLD ECE VOICE  JAN 7 1964
<del></del>	STATE AMAZED

## NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

N O
9
2
s by h to
neth- rmit-
PM
ig.
Trace

NW1/4NW Sec. 14. TZIN Indicate point of appropriand place of use, if possible

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

NOTICE OF COMPLETION OF GROUPS WE AFFROMINGTON WITHOUT WELL

	CMM Tankani	Landrold W. noigh	of I various ?		
	According a result from the second	a transfer the transfer			
	release university to w	lite of Appropriate	3		
first transcription		in (1997) 			
		าร์ (การการเกาะสารณ์ที่ใน เกาะสารณ์ที่ใน			
		tyric lig sone			
		aturities. Lia combb	Å.		
in in its is is a store of	Property .	125 de 146	The second secon	w ) w ) w ) w ) w ( w	
er disconstantible of			Í		
nt steed what it is a	and the state of t	politica i kandingka ka			
					!
***				***	
-dion la milantique di	a have but berejalar	vil. vii. v ža glimas	Amerikan da karanta da Maria da karanta da ka	dis	
-unratai si mer ii demen	es dies Hagilies i	e problem of brent l			
La caracter de Marcha Marie	িবে নি অইছিনে তিন	लोजनमञ्जूत नेरिकानी स्थाप		ipi Parke prince of Carlon and planes of come, he p	
		,	***	•	
* **		e de la companya de La companya de la co	. **.		
	. •	takk i i i i i i i i i i i i i i i i i i	3. <sup>(4</sup>		
	.45,85				
<del></del> .		in the state of	d sant trees on the san	nesages es escal als	4
्रमं अभागतः भौ के जन्म	Maria de la composición del composición de la co	Militaria in Mark Militaria (1944).	i dali eri este i alder Le licar	स्ताप्तातः । प्रसिद्धाः सर्वे	•
il wenter of the	and declare	Some a statisting	a to Houselle	ratio fri	
- หนึ่งอย่างเหมือนได้เก็บการเ	Language Alas	out of the first some	al to a dist 🚁	346867	4.1
	н,	er kuringt sit mis	STATE OF COUNTY OF	MONTANA T	er <sup>a</sup> .
			Filed DEL	3 0 1963	5
			at _9:3		Ō,

	-
G A File No	T 2/ R //
DUPLICATE	STATE OF MONTANA JAN 7 1964
ADMINIS O	STATE OF MONTANA  TRATOR OF GROUNDWATER CODE  STATE ENGINEER  STATE ENGINEER
(Under Cha	F VESTED GROUNDWATER RIGHTS apter 237, Montana Session Laws, 1961)
1. Mary L. Klar (Name of Appropriator)	f (Address) (Town)  State of Nontana
have appropriated groundwater accor	rding to the Montana laws in effect prior to January 1, 1962, as follows:
N .	2. The beneficial use on which the claim is based on thek
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
W	4. The amount of groundwater claimed (in miner's inches or gallons per minute)
s	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.	6. We are of withdrawing such water from the ground and the local
schwife refressores to see-	de Jan State Land
7. The date of commencement and condrawal of groundwater	apletion of the construction of de well, wells, or other works for with
8. The depth of water table 4/6	Jeet
O C .C . is many by available the typ	pe, size and depth of each well or the general specifications of any other water
	10-11 B and 1 h
11 The log of formations encountered in	ater withdrawn each year of gal gal not be drilling of each well if available day of
12. Such other information of a similar reference to book and page of any or	natarre as may be useful in carrying out the policy of this act, including ounty record probably at the policy of this act, including the policy of the po

Date 25, 20-1963 Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Signature of Owner Thang L

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

ं राज्यको स्थार राजस्य स्थापन को कर्ना राज ्रिकेट राज्य है अपने हैं अध्यक्त कर है है।

T 1000 M the control of the co

्र क्षेत्र कृष्ट में कि में किया अध्यक्ष करते हैं। diament of granification ते, मिल नेतृक्षी भी प्राप्ति नेतृति and the special and the training of the series of the second of the seco The Second Second

THE SHIP THE THE

:

The programme of the

Men of the last

346787

Drug of mourana. County Cherk

File No.....

DUPLICATE

GW 3

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
STATE ENGINEER STATE ENGINEER

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

(Under Chapter 237 Montana Session Laws, 1961)

		Date of Appropriation of Groundwater
		Owner Mary Hlay Address Shorther Montana
		Address Shotikum Dientana
		Contractor (if any)
		Address of Contractor
	N	Date Started 2/1. Date Completed 1924
i		Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
w		water when applicable in princip natural flows
	X	
E. //	8 1.14.SW./4 Sec.1.F T.2.L. R././	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
In	dicate point of appropriation d place of use, if possible.	tent estimate approximate lengths of periods of use
au	a place of use, it possible.	Instant flow
		un were determing grangening Dustin
		Signature of Owner Thung I Klaif  Date Date 20 1943
		Date 1 4 - 1943

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.